

OCEANREEF®  
underwater, naturally.

DIVE INTO THE FUTURE

26

DIVING CATALOG

WE MAKE  
FULL FACE MASKS



WE WERE ALL BORN FROM THE SEA.  
Maybe that's why we're so irresistibly  
attracted to it.

As soon as we're immersed in it,  
once again we turn to breath, we feel  
we're back to our true natural setting.

In our every effort, every thought,  
every dream, the sea finds its way.  
We yearn to be back in it to better  
observe it, to admire its grandness,  
always with new eyes.

To be back in it, to be astonished by  
it and to share its wonders with our  
friends.

To be back in it to imbue new life to  
the very place that's been witness  
to the birth of it all.



**OCEANREEF®**  
underwater, naturally.

WHAT IS AN IDM ( INTEGRATED DIVING MASK ) .....	6	HARDWIRED COMMUNICATION .....	40
PROFESSIONAL LINE IDM <sub>s</sub>		- ALPHA PRO X DIVERS .....	40
- NEPTUNE III .....	8	- SURFACE UNIT .....	40
- NEPTUNE III BASIC .....	14	- UNDERWATER UNIT .....	41
VESPER .....	16	- ALPHA PRO X DIVERS PROFESSIONAL CABLE .....	42
FIRST STAGES AND PRESSURE GAUGE .....	18	- ALPHA PRO X DIVERS BAG .....	43
- SL35TX DIN .....	18	- CABLE FLEETERS .....	43
- SL35TX INT .....	18	COMPARING UNITS .....	44
- PRESSURE GAUGE .....	18	AUDIO & VIDEO SURFACE UNITS .....	47
ACCESSORIES .....	19	- GAMMA ALPHA HD .....	47
- OCTOPUS – SECONDARY REGULATOR .....	19	- GAMMA 105 .....	48
- BUMP BACK-UP MASK (& SNORKEL) PACKAGE .....	19	SPECIAL PRODUCTS AND TOOLS .....	48
- EXTENDER KIT .....	20	- AQUARIUM AND SHOWS INSTALLATIONS .....	48
- CAMERA & TORCH SUPPORT .....	21	- PORTABLE AIR CONTROL MODULE .....	49
- FOLDABLE NACS FOR EXTENDER .....	21	- OCEAN ECHO .....	50
- PROFESSIONAL ACCESSORIES MOUNT .....	22	- WIRELESS MICROPHONE TRANSMITTER .....	51
- ADDITIONAL ACCESSORIES .....	23	- NOZZLE ADJUSTMENT TOOL .....	52
- ADAPTERS .....	24	- TRAINING TOOL KIT (DELUXE) .....	52
- NEPTUNE III BACKPACK .....	26	- IDM REGULATOR ADAPTER .....	52
- Q.R.S. (QUICK RELEASE SYSTEM) .....	27	- PORTABLE TEST BENCH .....	52
- EXTRAFLEX QUICK DISCONNECT HOSES .....	27	SPECIAL BUNDLES – AVAILABLE .....	
- EXTRAFLEX COMMERCIAL QUICK DISCONNECT HOSE .....	27	ACCORDING TO REGION .....	53
- QD CONNECTION (MALE PART ONLY) .....	27	- LA project .....	53
- STANDARD 9/16" ADAPTER .....	27	- B2D KEY WESTDIVER RECALL SYSTEM .....	53
- SWIVEL CONNECTION .....	28	SPORTSWEAR & PROMOITEMS CATALOG .....	55
- DUAL TANK VALVE .....	28	- T-SHIRT .....	56
- OPTICAL LENS SUPPORT 2.0 .....	29	- CAPS .....	57
- LENSES .....	30	- PATCHES .....	58
- OPTICAL LENS POINT OF SALE .....	30	- STICKERS .....	59
- MAGENTA COLOR ENHANCING LENSES .....	30	- DISPLAY .....	60
- CUSTOMIZATIONS .....	30	- FLAG .....	60
COMMUNICATION UNITS .....	31	- PROMO ITEMS .....	61
WIRELESS COMMUNICATION .....	32	NEMO'S GARDEN .....	62
- GSM MERCURY .....	32	OCEANREEF NIII / AVELO SYSTEM .....	63
GSM CUBE3 .....	34	JOIN OUR FACEBOOK GROUP .....	64
- GSM G.DIVERS .....	35	OCEANREEF ONLINE SCHOOL .....	66
- M101A .....	36		
- M105 DIGITAL DC .....	38		
- MIXER .....	38		
- M100 .....	39		

# Our story, our adventure

---



## ORIGINS OF SCUBA DIVING

The **Gamberini family**, at that time, owned a small tire repair shop in the heart of Genova. Like many stories of success, hard work is supported by **passion**.

It is passion that drove Giorgio and Ruggero Gamberini. Passion that animated their experiments with rubber that ended up attracting the attention of a mythical person at the time: **Commander Ferraro** – The Professor – who's story would deserve a book on its own thanks to his military scuba endeavours during the war. He became one of very few, living, recipients of the Military Gold Medal – highest recognition of the Italian Navy.

Ferraro was in the middle of designing **his first rubber masks and fins** for scuba diving and swimming when he reached out to the Gamberini brothers because of their expertise with this new material. Shortly after, the two brothers (with the addition of the third brother – Gianni), were contacted by Egidio and Nanni Cressi, as they, too, were caught up in designing their first products to **open up the underwater world to the masses**.

From these first steps the Cressi brothers founded modern Cressi-Sub and Ferraro **founded Technisub**. These successful partnerships attracted a third

famous personality: a young, Istrian refugee called Ludovico Mares, with whom, the Gamberini brothers would go on to found Mares.

Brands that not only have made the history of scuba diving – **they generated the scuba industry**.

The collaboration with these innovators is one of the reasons why the Gamberini's have specialized in OEM production for rubber products for so long.

## A LUCKY MISTAKE

History of mankind is full of lucky findings and discoveries, one of the most famous ones is Alfred Nobel's discovery of dynamite.

A much less gruesome story is that of how the Gamberini brothers ended up creating **a wrong rubber mix**, in the late 1950s, **creating the first ever floating rubber**.

Gianni Gamberini, disappointed and annoyed with the result of his experiment, threw a test mix to cool off in a water recipient. To his awe, the rubber piece, went right back to the surface and floated.

Shortly after, the first floating fins were on the market. The first one to intelligently exploit this discovery was business-keen Cressi, who had great success with this line of products.



#### TALKING ABOUT DIVERSIFYING AND FLEXIBILITY

Since then the Gamberini Family has always been working with rubber, plastics and its derivates, mastering this category of raw material and continually finding **new potential uses and markets**.

After the three brothers, came Giorgio's sons: Guido and Sergio, whom, 30 years later found themselves producing Binda's historical intuition. Binda - the famous co-owner of famous luxury watch brands. Guido and Sergio produced **the first rubber straps for watches**, characterized by bright colors and bold patterns, never before imagined - the HIP-HOP watch was born... then the first Swatches.

The watch expertise continued with important clients such as Hublot and Bulgari, with the key addition of Sergio's son Massimo.

Meanwhile, other business opportunities arised.

**A big market was found in medical and work safety products.** Famous products for NBC military and civil use were created.

#### BACK TO THE WATER

Sergio's personal passion for water and the ocean, combined with the Family's rubber and plastic manufacturing DNA, along with his studies as a chemical engineer, created the ingredients from which the modern history - **OCEAN REEF** brand - **was born**.

In 1993, Sergio orchestrated **the purchase of an American scuba manufacturing company** based in San Diego - Ocean Edge.

Sergio's intuition was to create a cross over from their gas mask design and expertise, back into the scuba industry. **his first Full Face Mask for diving:** a technical and innovative product that would guarantee a more comfortable, safe and relaxing uw experience.

From Reef-Marine and Ocean Edge, OCEAN REEF was incorporated. Since **the full face mask had the advantage of a free mouth** - the subsequent step was to develop the underwater communication market. OCEAN REEF is now one of the **leaders in this market**.

#### FROM THE DEPTHS TO THE SURFACE

Recent history of the group has been made by **another outstanding partnership:** with Sport Distribution leader and goliath, **Decathlon**.

With an excellent team work, a long and complex project was concluded with the birth of **the first ever Full Face mask for Snorkeling** use (FFSM). The famous and inexpensive **Easybreath** was born from this synergy. The success of this product literally revolutionized the snorkeling market - and is still shaking it - years later. After a long while, OCEAN REEF decided to design and patent a different level product in the same category, named **Aria**, its own FFSM - with a **distinctive attention for quality, safety and design**. A true Made in Italy product. The position of worldwide FFSM leader was then solidified with other big partnerships.

#### UNDERWATER GARDENING

In the meantime, another revolutionary idea "surfaced". Italians, as we know, love talking about food.

In 2012, Sergio was on vacation in his beloved Noli, a beautiful medieval town, just 60km from Genova, when, talking with a friend, the idea to **grow plants underwater** started to shape in his mind. This began an amazing project for **underwater greenhouses** and is still dropping jaws across the world today.

Nowadays the OCEAN REEF brand is committed to make the underwater world more favorable to mankind, by making its experiences easier. Our soul rests upon our American and Italian heritage.

**This has always been our attitude.**

**This is what we believe in.**

**This is why our feet are well grounded and our mind is constantly Underwater, Naturally.**

# WHAT IS AN IDM (INTEGRATED DIVING MASK)

Our version of how a Full Face mask for scuba should be.

## JAW FATIGUE

- Nothing to bite on.
- Frees mouth to communicate, drink.
- Enables nose breathing.



## Natural Breathing

Through nose and mouth



## MASK PRESSURE EQUALIZATION

- Breathing apparatus integrated into the mask means automatic pressure equalization at each inspiration.

## FLOODING

- Breathing inside the mask automatically purges water through the draining/exhalation valve if water were to be inside the mask for any reason. When voluntarily flooding the mask, a couple purges of the second stage button completely clear the water from the mask.



## FACE SEAL

- Patented bellows double "S", "spring profile", skirt.
- Larger sealing surface.
- More comfort thanks to the "floating effect" on the face
- Available in 2 sizes.
- Seal capability derived from gas mask applications (CBRN tests) – the hardest test possible a face seal has to withstand.

## FIELD OF VISION

- Larger field of vision than competitors (Italcert Certification PPE-05 RIF 1332/05).
- Visible light transfer of the visor is 92%, meaning a clearer view.
- Designed wider and sits closer to the face than other visors, giving a broader field of vision and less volume buoyancy.
- For visual comparison check page 10.

## DURABILITY AND SCRATCH RESISTANCE

- Transparent polycarbonate visor made in Italy.
- Both sides are coated in siloxane resin for improved scratch and chemical resistance.
- Impact resistance tested by STANAG 4296 standards: impact of a steel ball traveling at 540 kph (335 mph).



WATCH THE VIDEO

## HEAD HARNESS AND FAST ROTATING BUCKLE II

- Head harness attached to the face shield not on the skirt meaning no tearing and much better resistance to tugging.
- Six straps meaning no risk of losing reg if unconscious (much greater chance of surviving such an event) or violently hit.
- Wide strap tips for easy grasping.
- Fast rotating buckle system (different configurations per model) for comfortable and quick doffing and donning on the surface and secure, fast operations during underwater bail out or wearing.
- Neptune III now features first and only ever one-hand quick release system (QRS) doffing handle. Find out more on page 31.



## MULTITOOL

Our multitool is the perfect holder for the equalization extensions.



## 3D EQUALIZATION SYSTEM

- Patented design.
- 3 way directional adjustment system: up/down, wide/narrow, close/far. Made for maximum comfort and nose breathing.
- Pushing the mask towards the face when needed causes the plugs to create a nasal seal.



## AIR CIRCULATION

- Air circulation is achieved with an orinasal pocket so that CO<sub>2</sub> build-up is not mixed with fresh air.
- One-way circulation keeps mask clean.



## SURFACE AIR VALVE

- Easy to grab, sturdy design.
- Large air vents.
- Allows IDM divers to breath ambient air when at the surface, without having to take off the mask.





Evolved Innovation.  
Badass Design.



**DESIGNED BY DIVERS, FOR DIVERS.**

Tested by Divelab US to exceed performance at -60m



**RUGGED** - Signature double coated visor is renowned for its unparalleled toughness and clearness, now combined with tech PU regulator protection and silicone deflector to absorb the shocks of intense scuba diving use.

**EFFORTLESS** - Completely new 2nd stage design and engineering. This FFM breathes smooth as silk.

**COMFORTABLE** - Premium materials, redesigned orinasal pocket resulting from the experience we have learned from more than 1 million of FFSM we have made for people around the globe.



**BREATHES  
+33%  
BETTER**

Vertical body, balanced – all new Neptune III regulator delivers amazingly smooth breathing at any depth. This IDM breathes **+33% better** than our Neptune Space. There is no bulk on your chin, exhaled bubbles in your eyesight or getting stuck while moving your head left and right.



[WATCH THE VIDEO](#)



MODELS	SKU	UPC
NIII 2nd STAGE	OR005091	764500013280


**INNOVATIVE** - The 2nd stage is fully integrated into the mask, as per our company's philosophy, but now it can be detached quickly (Level 1 tech certification required) for faster than ever servicing and swap.

OCEAN REEF Neptune III IDM customers can enjoy the flexibility and possibility of a back-up regulator. Ideal for dive teams (i.e. – public safety, military, intensive use divers).

**SAV III** - While designing the IDM we decided to improve our professional surface air valve as well. Now with a new design, better grasping surface and an internal valve, **the mask will not fog when not connected to the cylinder and water will not drip in if you leave the valve open when submerging your head.**

**PRACTICAL** - All the great designers in the world could come together to make the most beautiful product ever, but we divers, need products that are more than beautiful - they must be practical. Neptune III is just that.

**BADASS** - Not our words, just the natural reaction of anyone who gets to look at this IDM and hold it in their hands.



OCEAN REEF Neptune III      OCEAN REEF Neptune III  
OCEAN REEF Space      OCEAN REEF Neptune III  
Competitor 1      OCEAN REEF Neptune III  
Competitor 2

The Neptune III visor is all new and designed from scratch – it **offers the widest field of vision of any conventional and any Full Face mask on the market**. The Neptune III visor surpasses the Space's Field of vision by +10%. Using an uncommon **vertical body regulator** was a conscious design choice to push vertical vision to its maximum potential. Reading instrumentation and operating your equipment with a FFM has never been easier.



#### Approx size of the mask:

24 cm (9.44 inch) high  
20 cm (7.87 inch) wide  
20 cm (7.87 inch) deep

#### Weight of mask not in use (saltwater):

0,35 kg (0,77 lbs)

#### Buoyancy (in saltwater):

0,35 kg (0,77 lbs)

**-47%**

#### BUOYANCY

Neptune III is 47% less buoyant than other FFM's

**-24%**

#### INTERNAL VOLUME

24% smaller than competition.

COLOR	SIZE	SKU	UPC
BLACK	S/M	OR025200	764500012351
	M/L	OR025201	764500012368
WHITE	S/M	OR025202	764500012375
	M/L	OR025203	764500012382
BLUE	S/M	OR025204	764500013204
	M/L	OR025205	764500013211



**COMPLETE** - Certifying this product: we decided that we wanted to guarantee OCEAN REEF divers could rely on a certified set, not just a second stage and first stage. Neptune III can be purchased with its first stage, pressure gauge, quick disconnect hose, quick disconnect octopus and back-up conventional mask.

**FUNCTIONAL** - This product can be used in almost any conditions, we built it that way. For example, the Neptune III is the **first FFM that can be doffed with one hand** thanks to the new QRS (Quick Removal System).

# COMPLETE AND CERTIFIED DIVING PACKAGE

## NEPTUNE III PACKAGE



Certified EN250:2014 A<10°

MODEL	COLOR	SKU	UPC
1st Stage SL 35 TX INT		9922	764500000402
1st Stage SL 35 TX DIN		9923	764500000419
Extraflex Quick Disconnect Hose	BLACK 32"	OR024998	764500000877
Bump - Back Up Mask & Snorkel Package	BLACK	OR019100	764500011576
Octopus - Secondary Regulator w/Quick Disconnect Hose	YELLOW	OR024900	764500011552
Pressure gauge	BLACK	OR025250	764500012344
Neptune III Back Pack		OR005050	764500012405



## NEPTUNE III PACKAGE

Diving Full Face mask w/int 2nd st, surface air valve, hose, pressure gauge, octopus w/quick disconnect, SL35TX INT (or DIN) First stage + bump (back-up mask) + quick disconnection hose.

MODEL	COLOR	SIZE	SKU	UPC
<b>INT</b>				
Neptune III Package – Diving Full Face Mask w/int 2nd st, <b>SL35TX INT First stage</b> , surface air valve, pressure gauge, octopus, + bump + quick connection hose	BLACK	S/M	OR025400	764500014553
	BLACK	M/L	OR025401	764500014560
	WHITE	S/M	OR025402	764500014577
	WHITE	M/L	OR025403	764500014584
	BLUE	S/M	OR025404	764500014591
	BLUE	M/L	OR025405	764500014607
<b>DIN</b>				
Neptune III Package – Diving Full Face Mask w/din 2nd st, <b>SL35TX DIN First stage</b> , surface air valve, pressure gauge, octopus, + bump + quick connection hose	BLACK	S/M	OR025410	764500014614
	BLACK	M/L	OR025411	764500014621
	WHITE	S/M	OR025412	764500014638
	WHITE	M/L	OR025413	764500014645
	BLUE	S/M	OR025414	764500014652
	BLUE	M/L	OR025415	764500014669

### 2 ADDITIONAL PURCHASING OPTIONS:

#### NEPTUNE III SYSTEM

Diving Full Face mask w/int 2nd st, surface air valve, hose SL35TX DIN (or INT) First stage.

In some geographic areas, it is necessary to operate with the invoicing of individual components instead of just the package.

#### NEPTUNE III MASK

Neptune III Diving Full Face mask w/int 2nd st, surface air valve & hose.

## 2 ADDITIONAL PURCHASING OPTIONS:



Quick connection hose  
not included

### NEPTUNE III SYSTEM

MODEL	COLOR	SIZE	SKU	UPC
<b>INT</b>	BLACK	S/M	OR025342	764500012894
Neptune III System - Diving Full Face mask w/int 2nd stage, surface air valve, hose & SL35TX INT 1st stage	BLACK	M/L	OR025343	764500012900
	WHITE	S/M	OR025346	764500012924
	WHITE	M/L	OR025347	764500012931
	BLUE	S/M	OR025350	764500013228
	BLUE	M/L	OR025351	764500013235
<b>DIN</b>	BLACK	S/M	OR025340	764500012870
Neptune III System - Diving Full Face mask w/int 2nd stage, surface air valve, hose & SL35TX DIN 1st stage	BLACK	M/L	OR025341	764500012887
	WHITE	S/M	OR025344	764500012948
	WHITE	M/L	OR025345	764500012917
	BLUE	S/M	OR025348	764500013143
	BLUE	M/L	OR025349	764500013150



Neptune III available in:  
3 color options  
(black, white and blue)



and two sizes  
(S / M - M / L)



Quick connection hose  
not included

### NEPTUNE III MASK

Quick connection hose not included

Neptune III can be  
customized with a  
fluorosilicone face seal,  
offering extra protection  
from chemicals  
in the water.

neptune III  
basic



The Neptune III basic is light, simple and no-thrills – it is the FFM of choice for your underwater work, your FFM of choice for scientific diving, your FFM of choice for recreational and sport diving if you're looking for a reliable, affordable entry level product.

COLOR	SKU	UPC
NIII BASIC S/M	OR025220	764500013433
NIII BASIC M/L	OR025221	764500013440

### Neptune III Basic

The Neptune III Basic is a real Full Face Mask (or Integrated Diving Mask).


It features a working orinatal mask to create one directional breathing circulation – guaranteeing no fogging, even without use of defogger products – making sure that the diver is always breathing fresh air with no unwanted CO<sub>2</sub> re-breathed.

It features a dedicated, certified and engineered second stage for use outside of the mouth. The second stage is specifically designed to work for a FFM; not only it is cold water CE certified, its design is to be as close as possible to your face, reducing drag, reducing the bulkiness of something "sticking out" of the mask.



## DIVE SAFE, DIVE COMFORTABLE, DIVE DRY AND DIVE WARM ON A FULL FACE MASK

The Neptune III Basic has a 6 strap harness to ensure you never lose your 2nd stage – one of the safety features of our FFMs. Its rigid visor sits close to the eyes giving it a huge field of view and crystal clear vision thanks to the double-coated siloxane treatment. Ensuring comfort and keeping water out is achieved thanks to our unique design top grade silicone face seal – our FFMs are the only ones that feature 2 sizes, from the tiny Small-Medium to the broader Medium/Large.



### KEY FEATURES:

- 6 point strap harness
- Real orinasal pocket
- Hard to flood, easy to clear
- Widest field of view on the market
- 2 sizes, "S" shape bellow technology face seal
- Customizable and upgradeable
- Carry bag
- Cold water CE certified, full face. 2nd stage

- New generation, vertical body, balanced, Neptune III 2nd stage
- Tech PU and silicone rubber 2nd stage, shock absorbent shell
- Accessory Surface Air Valve
- Light and durable
- 2 year warranty



### UPGRADE YOUR NEPTUNE III BASIC:

- SAV NIII BASIC (SURFACE AIR VALVE)
- EXTENDER FRAME
- Q.R.S. (QUICK RELEASE SYSTEM)
- COMMUNICATION UNIT
- OPTICAL LENS SUPPORT
- BACKPACK

Neptune III Basic SAV (Surface Air Valve) available as accessory

MODEL	SKU	UPC
NIII BASIC SAV	OR025030	764500013457



VESPER

# VESPER



MODEL	SKU	UPC
VESPER	OR024800	764500012825

\*This product is compatible with all OCEAN REEF IDMs from the SPACE and Neptune lines.

The all-new Vesper is a lightweight, powerful, easy-to-use, fully integrated secondary diving light.

It's reduced size and patent pending placement inside the mask results in a unit that increases the negative buoyancy of the system while being incredibly comfortable. The Vesper is: smaller, lighter than the VL, doesn't require adhesive or screws, can be installed by end-user with no training, charging via USB, features an infrared sensor, an SOS mode and a multipurpose case, the goal of this case is to protect the unit when stored and transported.



#### MULTIFUNCTIONAL PROTECTIVE CASE INCLUDED!

(With additional elastic strap for head and wrist/hand mount).

- Battery pack
- Rechargeable with magnetic cable
- Easy to install and remove by the end user
- Ultra light and ultra compact
- Activation with sensor
- S.O.S. mode
- Extra brightness
- Illuminates the face of the user to allow being identified (while not blinding the diver).



WATCH THE VIDEO

## FIRST STAGES

MODEL	SKU	UPC
SL35TX DIN	9923	764500000419
SL35TX INT	9922	764500000402

Available in Int (yoke) standard or DIN

OCEAN REEF IDMs are CE certified with this, high performance environmentally sealed and balanced diaphragm First stage with anti-freeze kit. Adjustable intermediate pressure.

Made of chrome plated brass, with a stainless steel piston and spring, and a Teflon™ seat.

2 high-pressure ports 7/16-20 UNF.

Flow rate of approx. 4800 l/m at 140 bar.

### SL35TX DIN

Screw connection at 300 bar (4500 Psi).



### SL35TX INT

Standard yoke connection 232 bar (3364 Psi).

MODEL	SKU	UPC
Traditional Primary 2nd Stage Regulator w/ black 32" QD hose & male QD	OR024585	764500013389



## PRIMARY 2ND STAGE

Standard downstream valve with dive-predive switch, no adjustment knob.

Weight (without hose) 230g

Quick Disconnection male part to assemble or sold separately, Black ExtraFlex Quick Disconnection Hose 80cm / 32" to assemble or sold separately. Static intermediate pressure 9.5-9.8bar

MODEL	SKU	UPC
PRESSURE GAUGE	OR025250	764500012344



## PRESSURE GAUGE

Single piece brass body: copper beryllium coiled inner mechanism; bourdon tube; rack and pinion movement for smooth and precise operation; tempered glass transparent window; plastic cover with loops for fixing; graduation 350 BAR/5000 PSI, full scale.

MODEL	SKU	UPC
OCTOPUS	OR024900	764500011552

Available in: 120CM /48" hose, Yellow.



## OCTOPUS - SECONDARY REGULATOR

This backup second stage is unbalanced, has a dive pre-dive switch, comes with a male quick disconnect part, a 120cm/48" QD ExtraFlex Yellow hose.

Every IDM diver, especially if diving with QDs or Buddies with QDs should have the option, if needed to bail out with secondary conventional second stage, or QD hard connection.



MODEL	SKU	UPC
BUMP	OR019100	764500011576

● Available in Medium size, matte and shiny black

## BUMP - BACK UP MASK (& SNORKEL) PACKAGE

Safety when diving is a primary concern for OCEAN REEF.

That is why we put together a back up bailing system made of a comfortable conventional mask with fabric strap for easy and quick donning, a flexible, semi-dry snorkel and a tough pouch where you can fit the mask, the rolling snorkel and hang it on your BCD or on your belt thanks to the 2 D rings and belt loop.



# EXTENDER KIT

MODEL		SKU	UPC
BLACK	●	OR025061	764500012535
WHITE	○	OR025062	764500012542
GREEN	●	OR025043	764500001478
COBALT	●	OR025038	764500011422
PINK	●	OR025064	764500012580
BLUE	●	OR025063	764500002062
EMERALD	●	OR025039	764500011439



WATCH THE VIDEO

CHECK THIS VIDEO  
OUT FOR SOME IDEAS

Available in one size, 7 colors.



CUSTOMIZE AND ADD  
ACCESSORIES TO YOUR MASK!



3

## CUSTOMIZATIONS

It is possible to customize, as desired, the components of the mask that do not affect its functionality (through engraving or other printing techniques).



The perfect addition to your Neptunelll basic IDM, or any other OCEAN REEF Full Face scuba masks from 2006 on (with nylon clamping band).

This kit is available in 7 different colors.

Each kit includes:

- ① **FRAME** : Frames provide added protection around the head, deliver a refined aesthetic finish to the mask, and allow personalized customization for easy diver identification. The design also offers a wide surface area suitable for accessories. The top features a flat mounting surface, ideal for attaching a GoPro-style sport camera.
- ② **NEW NACS**, or Neptune Adjustable Communication Support is a Patented OCEAN REEF accessory used to mount your OCEAN REEF communication device to your IDM. It's light, sturdy and durable. It distributes the weight of the comm unit perfectly on the mask, you don't feel it anymore.
- ③ **EARPHONE SUPPORTS** : Not only can these be used with a GSM Mercury communication unit (by mounting the earphones directly to the frame), they also feature predefined drilling points that allow for the installation of side lights. The supports rotate at a 30-degree angle, and the same mounting system can be utilized for action cameras to achieve an immersive on-board point of view.

MODEL	SKU	UPC
EXTENDER CAMERA AND TORCH REMOVABLE SUPPORT	OR025060	764500011385

## CAMERA & TORCH SUPPORT

Holds anything cylindrical up to about 70mm (2.7inch) in diameter with re-openable, heavy duty zip ties. Slide comes off when needed for handling – snaps in easily and holds in place. Adds the possibility for horizontal tilt angle (adding to the 30° vertical of the accessory support). Compatible with standard GoPro fitting.



MODEL	SKU	UPC
FOLDABLE NACS	OR025072	764500012399

## FOLDABLE NACS

New NACS, or Neptune Adjustable Communication Support is a Patented OCEAN REEF accessory used to mount your O.R. communication device to your IDM. It's light, sturdy and durable. It distributes the weight of the comm unit perfectly to the point you don't even feel it anymore.

This model now features the possibility to fold it inside the mask when storing the IDM. Compatible with left ear type comm units, such as with the GSM Gdivers.





## PROFESSIONAL ACCESSORIES MOUNT



**SKU** OR025270 - Professional Accessories Mount Kit R+L (w/universal slide and clamping band)  
**UPC** 764500013341



**SKU** OR025260 - Professional Accessories Mount Kit R (w/universal slide and clamping band)  
**UPC** 764500013334



## ADDITIONAL ACCESSORIES PROFESSIONAL ACCESSORIES MOUNT



**SKU** OR025261  
**UPC** 764500013365

OCEAN REEF  
Shearwater Nerd2  
HUD mount for FFM.



**SKU** OR025262  
**UPC** 7764500013358

OCEAN REEF  
Scubapro Galileo HUD  
Extender Mount



**SKU** OR025263  
**UPC** 764500013372

Combo Mount  
on Universal Slide



**SKU** OR025264  
**UPC** 764500014751

Universal Slide

Professional Accessories Mount Kit R+L (w/universal slide and clamping band)



# OCEANREEF COMM. ADAPTER (AGA/OTS/KM)

Designed to make the OCEANREEF communication systems compatible with masks from other brands.

The kit includes an UW comm. unit, an adapter for inserting the microphone into the mask, and an adapter for mounting OCEANREEF earphones onto the mask. All components are also available for individual purchase.

FULL SETS

MODEL	SKU	UPC
MERCURY SET FOR AGA	OR033158	764500014799
MERCURY SET FOR OTS	OR033159	764500014805
MERCURY SET FOR KM M48-MOD1	OR033161	764500014928
ALPHA PRO UW 2.0 SET FOR AGA	OR033176	764500014812
ALPHA PRO UW 2.0 SET FOR OTS	OR033177	764500014850
ALPHA PRO UW 2.0 SET FOR KM M48-MOD1	OR033179	764500014935
CUBE SET FOR AGA	OR033183	764500014942
CUBE SET FOR OTS	OR033184	764500014959
CUBE SET FOR KM M48-MOD1	OR033186	764500014966
ALPHA PRO UW 2.0 SET FOR AGA MARSH MARINE CONNECTOR	OR033162	764500014867
ALPHA PRO UW 2.0 SET FOR OTS MARSH MARINE CONNECTOR	OR033163	764500014874
ALPHA PRO UW 2.0 SET FOR KM M48-MOD1 MARSH MARINE CONNECTOR	OR033164	764500014935
CUBE SET FOR AGA MARSH MARINE CONNECTOR	OR033187	764500014973
CUBE SET FOR OTS MARSH MARINE CONNECTOR	OR033188	764500014980
CUBE SET FOR KM M48-MOD1 MARSH MARINE CONNECTOR	OR033189	764500014997

SET COMPONENTS

MERCURY AGA/OTS	OR033156	764500014782
MERCURY KM M48-MOD1	OR033157	764500015062
ALPHA PRO 2.0 UW AGA/OTS	OR033175	764500014829
ALPHA PRO 2.0 UW AGA/OTS MARSH MARINE	OR033165	764500014836
ALPHA PRO 2.0 UW KM M48-MOD1	OR033173	764500015017
ALPHA PRO 2.0 UW KM M48-MOD1 MARSH MARINE	OR033174	764500015024
CUBE AGA/OTS	OR033181	764500015031
CUBE AGA/OTS MARSH MARINE	OR033182	764500015048
COMM. ADAPTER FOR AGA MASK	OR003389	764500014768
COMM. ADAPTER FOR OTS MASK	OR033100	764500014843
NEOPRENE EARPHONE ADAPTER GSM AGA/OTS/KM	OR003430	764500014775
RIGID EARPHONE ADAPTER GSM AGA/OTS/KM	OR003431	764500015055



Adapter for the Interspiro AGA/Divator mask



Adapter for Guardian and Spectrum masks



Adapter for KM M48-MOD1

# OTHER BRANDS COMM. ADAPTER

designed to allow communication systems from other brands to be assembled on an OCEAN REEF IDM.

FULL SETS

MODEL	SKU	UPC
OTS BUDDY PHONE FOR OCEAN REEF IDM SET.	OR033101	764500015093

## OTS BUDDY PHONE / OTS EMO (HOT MIC) ADAPTER SETS

OTS Buddy Phone / OTS EMO (Hot Mic) adapter for OCEAN REEF IDM can be used to connect an OCEAN REEF mask with an OTS EMO and any OTS communicator, whether hardwired or wireless.

SET COMPONENTS

MODEL	SKU	UPC
OTS BUDDY PHONE/ OTS EMO (HOT MIC) ADAPTER FOR OCEAN REEF IDM	OR033102	764500015079
OTS BUDDY PHONE SUPPORT FOR OCEAN REEF IDM	OR033103	764500015086



OTS buddy phone/ OTS emo adapter for ocean reef idm

# ACCESSORIES

MODEL	SKU	UPC
NEPTUNE III BACKPACK	OR005050	764500012405

## NEPTUNE III BACKPACK

Neptune III Backpack, a tool designed by divers, For divers.

This backpack has dozens of features that will challenge your creativity and satisfy your need for an intelligent solution when traveling with your OCEAN REEF Full Face Mask.

Versatility, adaptability, functionality, customization and badass design are the key words to this new, exciting product from OCEAN REEF.



### BACKPACK FEATURES



FIND OUT MORE  
ABOUT THE  
BACKPACK!



WATCH THE VIDEO

### MULTIPLE BUCKLE CONFIGURATION & MESHES



### INSIDE CONFIGURATION



NEW  
FEATURE!



A durable zipper now connects the backpack's two main compartments, **letting you carry larger items** (like a notebook computer) and turn it into a regular backpack.

MODEL	SKU	UPC
Q.R.S. (QUICK RELEASE SYSTEM)	OR005096	764500012603

## Q.R.S. (QUICK RELEASE SYSTEM)

New and unique OCEAN REEF invention, thanks to the Q.R.S. (Quick Release System) the FFM can be doffed with one hand.

This accessory is compatible with all OCEAN REEF Full Face masks (sold separately) and is included with the new Neptune III mask.



WATCH THE VIDEO



MODEL	SKU	UPC
EXTRAFLEX QD HOSE 80CM /32"	OR024998	764500000877
EXTRAFLEX QD HOSE 120CM /48" YELLOW	OR024997	764500000884
EXTRAFLEX COMMERCIAL QD HOSE 80CM /32"	OR024996	764500000891
QD MALE PART ONLY	33019	764500000914
STANDARD 9/16" TO QD ADAPTER	OR024995	764500000907
NEPTUNE HOSE COMMERCIAL QUICK CONNECTION (MALE PART ONLY)	32910	764500000921

Four layer technology, inner layer non-toxic polyurethane blend. Polyester first layer reinforcement, thermo rubber jacket. Polyethylene anti-scratching reinforcement.

Commercial & professional hose requires two hands to disconnect.



## EXTRAFLEX QUICK DISCONNECT HOSES



## EXTRAFLEX COMMERCIAL QUICK DISCONNECT HOSE

## QUICK DISCONNECT (MALE PART ONLY)

## STANDARD 9/16" ADAPTER

Turns standard hose into QD hose

# ACCESSORIES

MODEL	SKU	UPC
SWIVEL CONNECTION	33033	764500000938
DUAL TANK VALVE	33049	764500001003
MULTITOOL	OR005062	764500012610

## SWIVEL CONNECTION

The Swivel connection moves freely turning 360° around its axis. It allows free movement of the hose and a streamlined configuration. Chromium plated brass. Can be used with quick disconnect.



## DUAL TANK VALVE

Allows connection of the second stage directly to two gas sources (mix, side mounting, pony bottle).

Allows a diver to alternate between sources without removing the mask. Solid piece of chromium plated brass.

Stainless steel cord attaches to safety clip (avoids an unwilling switch of gas).

Nice and smooth movement while easy to operate with thick gloves. Can also be used with quick disconnect.



Not available in UK.



## MULTITOOL (IMPROVED STAINLESS STEEL INSERTS)

Our multitool is the perfect holder for the equalization extensions, and also has numerous functions for a wide variety of uses.



MODEL	SKU	UPC
OPTICAL LENS SUPPORT 2.0	OR033304	764500001898

- Available in one size, Black



## OPTICAL LENS SUPPORT 2.0

Compatible with IDM's M/L and FFSMs Aria, Aria QR+, UNO (sizes ranging from S/M to L/XL, XS excluded), Sea Vu Dry S/M - L/XL,


Easy breath S/M - M/L - L/XL, Tusa Sport S/M to L/XL. Lens correction for your IDM and FFSM without ruining your mask.

Use them as convenient glasses on land - snap the legs off and put the frame in your mask when you scuba dive or snorkel for an optical corrected mask!

This product is part of our living eco line - 100% plant based plastic



WATCH THE VIDEO



## ACCESSORIES

MODEL	SKU	UPC
LEFT -1.0	OR033400	764500002116
RIGHT -1.0	OR033401	764500002123
LEFT -1.5	OR033402	764500002130
RIGHT -1.5	OR033403	764500002147
LEFT -2.0	OR033404	764500002154
RIGHT -2.0	OR033405	764500002161
LEFT -2.5	OR033406	764500002178
RIGHT -2.5	OR033407	764500002185
LEFT -3.0	OR033408	764500002192
RIGHT -3.0	OR033409	764500002208
LEFT -3.5	OR033410	764500002215
RIGHT -3.5	OR033411	764500002222
LEFT -4.0	OR033412	764500002239
RIGHT -4.0	OR033413	764500002246
OPTICAL LENS POINT OF SALE - 28 LENSES	OR033420	764500011453
MAGENTA COLOR ENHANCING LENSES - PAIR	OR033415	764500011569

## LENSES

Single prescription lenses for our Optical lens 2.0 support are available in 7 different corrections per eye.



## OPTICAL LENS POINT OF SALE

We also have a Point of Sale that includes 28 lenses.

## MAGENTA COLOR ENHANCING LENSES

Magenta lenses are made to enhance your uw vision. Because the water absorbs much of the wavelength of sunlight, colors might look less intense, dull, or different from what they really are. When installed on the Optical Lens 2.0 system, these lenses help counteract this color loss by correcting wavelength filtration. The result is a more vibrant and accurate perception of the reef's amazing colors.



## COMMUNICATION UNITS

---



**GSM|MERCURY**



## **DUAL POWER VERSION!**

THE GSM MERCURY DUAL POWER HAS THE SAME FEATURES AS THE GSM MERCURY. INSTEAD OF HAVING 2 CHANNELS IT HAS THE OPTION OF HAVING CHANNEL 1 AT NORMAL POWER AND REDUCED POWER. THE UNIT IS EASILY RECOGNIZED THANKS TO A FLUORESCENT YELLOW STICKER THAT READS "DUAL POWER".

MODEL	SKU	UPC	ASIN
GSM MERCURY	OR033150	764500011507	B07YBCRVMX
DUAL POWER VERSION	OR033155	764500013730	B07YBCRVMX

## THE MOST COMPLETE UNDERWATER WIRELESS UNIT ON THE MARKET

This unit is blending four different OCEAN REEF units into one: the extended range of the Gpower, the like-stereo sound of the GSM G.power SL, the clearness and double channel option of the DC and the battery life of the Gdivers.

### Key Features:

- It's foldable inside the mask. Now you don't need to assemble the comm unit and take it off the mask. Simply fold it close and pack the IDM.
- Rechargeable and replaceable battery offering approximately 30 hours of autonomy. Say goodbye to disposable batteries and the hassle of replacing them before every dive. Recharge conveniently using any standard micro USB cable.
- Digital as the first ever unit we introduced in the market – the DC. This one adds clearer communication, with a higher volume AND 2 earphones for a stereo-like experience.
- Double channel unit for separate teams/conversations, depending on the surrounding environment conditions, it exceeds a range of 800ft /250 meters.
- DAT (Digital Activation Transmission) – hands-free mode.
- Compatible with all prior OCEAN REEF units and competitor units on same frequency.
- PTT button - Its flat, sturdy design with an easy-to-use lever eliminates entanglement, delivering an intuitive operation every time.
- Voice menu that is clear and immediate to learn, matches perfectly the simplicity of the buttons.
- 3 level volume.



[WATCH THE VIDEO](#)



						
VOICE MENU	PTT BUTTON INTEGRATES THE BLUE-MIC	800FT/250M 2 CHANNELS AVAILABLE	PACKING INTELLIGENCE	2 SPEAKERS INTEGRATED	RECHARGEABLE	EXTENDED BATTERY LIFE

MODEL	SKU	UPC
GSM CUBE3 r2	OR033185	764500014720

**NEW!**



WATCH THE VIDEO

## GSM CUBE3 R2

The most versatile unit possible.

- Capable of communicating in three different ways: wireless, hard wired, VHF.
- It can be connected to the ALPHA PRO X DIVERS surface unit
- For cable hardwired communication – Full duplex, hands free communication.
- The unit is a permanent wireless unit. Always on receiving mode for any communication on channel 1 or 2 frequency when battery inserted.
- PTT button activates wireless transmission on channel 1 or 2 when battery inserted.
- Six-pin waterproof connection allows connecting and detaching from cable communication while underwater.
- GSM CUBE3 r2 can be connected to a separate unit in order to interface with a VHF radio and allow radio communication while on the surface.



MODEL	SKU	UPC
GSM G.DIVERS UNDERWATER TRANSCEIVER UNIT	OR033109	764500000181

## GSM G.DIVERS

Wireless underwater transceiver unit, with the autonomy of approx. 30 hours in receiving mode, and range of operation of 200-250 meters (calm sea water).


Lightweight, powerful single channel and "push to talk" communication system make the GSM Gdivers the perfect addition to any training class or guided tour. For extra safety and for fun!

The unit operates on the same frequency as all other OCEAN REEF units and most popular wireless communication units on the market.

The GSM Gdivers uses a 9V alkaline battery and has a "low battery" alarm which beeps every 30 seconds when the battery is low.

Damper (for use in pools to reduce reverbs):

MODEL	SKU	UPC
DAMPER	OR023006	764500001027



## WIRELESS COMMUNICATION

MODEL	SKU	UPC
M-101A G.DIVERS UNDERWATER RECEIVING UNIT	033107	764500000198

### M101A

The M101A G.divers is a receive-only unit operating on one channel. The M101A fits on any conventional mask strap or full face mask models. It might be held and shared by more divers thanks to the high quality speaker. The M101A uses a 9V alkaline battery and has a "low battery" alarm which beeps every 30 seconds when the battery is low.

It's the perfect instrument for Instructors and team leaders to communicate with divers that don't wear IDMs with the possibility of integrating a transceiver unit.





# WIRELESS COMMUNICATION

MODEL	SKU	UPC
M-105 DIGITAL DUAL CHANNEL TRANSCEIVER SURFACE UNIT	OR033128	764500000662
MIXER FOR AUDIO OUTPUT M105 AND GAMMA 105	OR006512	764500001140

## M105 DIGITAL DC

SurFace operator can easily change from one channel to the other by pressing a button, distinguishing two different lines of communication if needed.

SurFace to diver unit.

- Transceiver unit.
- Allows communication with any number of divers wearing wireless comm units.
- Direct communication with PTT walkie-talkie.
- Uses 6V DC lead battery. Allows up to 48 hours of operation.
- Can be powered with a 12V DC source.
- Activated only when the antenna is connected to the unit to prevent unwanted loss of power
- 10mt (approx. 33ft) transducer cable length. Available in different lengths on request.
- Long cables may require amplifier mounting.
- Has the addition of a second transceiver channel



### Comes with:

- Headphone connection.
- Volume control.
- Speaker.
- Water resistant case pressure compensation valve.
- Battery charger.
- Easy to read LED battery tester which shows the power status of the battery.
- Transducer cable.
- Bag.
- Microphone.

### Available accessories:

- Audio out cable. (code 8590).
- Headset. (code 8589).
- Tuner for >50 meters M105 Antenna. (code OR008609).
- Splitter for connecting 2 antennas with M105 or M105DC. (code OR023001).
- External power cable code 8594

### MIXER

This accessory allows for the connection between the M105 Digital DC and an external amplifier or recorder. The Mixer takes its power directly from the M105 and does not need a separate battery. Audio output cables are not included.



MODEL	SKU	UPC
M-100 G.DIVERS PORTABLE TRANSCEIVER SURFACE UNIT	33165	764500000204



## M100

The M100 G.divers is a portable surface transceiver unit that may be worn on the operator's belt.

This high-performance, compact communication unit is designed to meet the demands of divers in action, providing seamless communication without the need for expensive, complicated, or heavy equipment. The main unit is roughly the size of a smartphone, making it portable and easy to use. The main unit has a PTT (Push to Talk) button and a headphone/microphone connector. The unit turns on when the headphone/microphone is connected to the main unit. The unit turns off automatically when the headphone/microphone is removed. A 10 meter (33 feet) transducer cable connects to the main unit and is lowered into the water.

The operator may control the depth of the transducer.

It operates on one channel and uses a 9V replaceable alkaline battery with autonomy of approximately 30 hours. The range of operation is approx 200 meters (600 feet).

The unit comes with the following items:

- 10 meter (33 feet) transducer cable
- Headphone/microphone
- Screwdriver

## HARDWIRED COMMUNICATION

MODEL	SKU	UPC
ALPHA PRO X DIVERS 110/220V	OR033132	764500000709
ALPHA PRO X DIVERS 110/220V SURFACE UNIT ONLY	OR033133	764500000716
ALPHA PRO UW 2.0 (underwater comm unit)	OR033160	764500002338

## ALPHA PRO X DIVERS

### INCLUDES:

ALPHA PRO UW 2.0 + SURFACE UNIT + PROFESSIONAL 50 M CABLE

This communication unit is specifically designed to meet the needs of professional and commercial divers who require a full-duplex, hands-free, crystal-clear communication system. Cable communication provides unmatched audio quality. Hard-wired connection ensures constant diver-to-surface communication.



## SURFACE UNIT

- Handwired, full duplex surface unit for underwater communications.
- 2 ports for 2 communication cables.
- On/off and volume adjustment switches.
- Microphone.
- Switch for communication between surface & diver 1, surface & diver 2, surface & diver 1 & diver 2.
- Headset port (headset optional).
- External 12v power port (cable optional).
- Battery charger port.
- Audio/video recall.
- Incorporated speaker.
- 12V rechargeable battery.
- Underwater unit volume adjustment (for both divers).
- Stand-by autonomy: 24h.



### ALPHA PRO UW 2.0 (UNDERWATER COMM UNIT):

2 headset, low-profile, fully integrated, foldable, hardwired underwater communication unit.

- Waterproof piezoelectric speakers (X2)
- D-Mic microphone
- Full-duplex system
- Audio recall button
- 6 pin waterproof connector
- The unit itself is a hardwired comm. unit.
- Clarity of communication is outstanding
- Range depends on cable length
- Includes recall button
- Speaker and microphone as featured in all comm. units.

\*The Underwater unit can be connected to any professional OCEAN REEF Mask using the OCEAN REEF Extender Frame.

Compatible with existing Alpha Pro X-Divers surface units.



WATCH THE VIDEO



### ALPHA PRO X DIVERS PROFESSIONAL CABLE

Professional cable can be sold separately. Includes yellow rope exterior 10mm diameter and 4000newton resistance.

Available in any length (max 200m/600') with optional bag (up to 100m/300').



New Surface Unit Video / Audio  
Easy Connector

## HARDWIRED COMMUNICATION

AUDIO/VIDEO STANDARD LENGTH CABLE	COLOR	SIZE	SKU	UPC
Comm. Cable (roped) 4000N resistance. Includes 6 pin rubber connector (diver) and DIN connector (Surface)	Yellow	50 m/165 ft 75m/264 ft 100m/328ft 150m/492ft 200m/656ft	OR033134 OR033166 OR033167 OR033168 OR033169	764500000723 764500013747 764500013754 764500013761 764500013778
Video Cable (roped) 4000N resistance. Includes: 4 pin rubber connector (diver) and DIN connector (Surface) for GAMMA ALPHA & GAMMA 105 / GAMMA ALPHA HD	Yellow	50 m/165 ft 75m/264 ft 100m/328ft 150m/492ft 200m/656ft	OR008575 OR008576 OR008577 OR008578 OR008579	764500000822 764500013808 764500013815 764500013822 764500013839
Comm Floating Cable – 500Kg resistance. Includes 6 pin connector (diver) and DIN connector (surface)	Yellow	50 m/165 ft	OR033170	764500013891
Floating Video Cable - 500Kg resistance. Includes 4 pin connector (diver) and DIN connector (surface)	Yellow	50 m/165 ft	OR033171	764500013921



Available customization with **Marsh Marine** connection to use with 3rd party topside units.  
Ask for quotation.



ALSO AVAILABLE:

1. Cable Fleeters
2. Custom cable length and Floating cables option.



Avoid any traction between the surface and the underwater unit

## HARDWIRED COMMUNICATION

AUDIO/VIDEO CUSTOM LENGTH CABLE	COLOR	SIZE	SKU	UPC
Comm/Video Cable (roped) 4000N	Yellow	m	008488	764500000747
Comm/Video Floating Cable – 500Kg resistance (4900N). ANY LENGTH, MAX 200m/656 ft	Yellow	m	OR006500	764500000747
Waterproof Rubber Audio Connector 6 Pins			OR005270	764500011460
Waterproof Rubber Video Connector 4 Pins			08487	764500011477
DIN Connector to Surface Unit			OR008616	764500011491

### ALPHA PRO X DIVERS BAG

This bag is designed to be incredibly tough to carry coil cables, it is bright colored and easy to spot. The drawstring top prevents items from falling out but comfortably leaving the cable coiled and connected to a surface unit. Conveniently comes with a handle and shoulder strap.



### CABLE FLEETERS

Cable Fleeter is designed to avoid any damage to cabling while retrieving divers. Incredibly resistant, it is available in 2 diameters for multiple cable fitting (range 25-36 mm), or single-cable (range 10-20 mm).

- Continuous weave configuration
- No Praying wires
- Lighter and safer to handle
- Longer Life



### CABLE FLOATER

A useful accessory to keep the audio or video cables floating. Each package contains three pcs and two Velcro straps keep the floater in position around the cable.



AUDIO/VIDEO CABLE ACCESSORIES	COLOR	SIZE	SKU	UPC
Professional ALPHA PRO Cable 50m Bag	Orange		008686	764500000754
Professional ALPHA PRO Cable 75-100m Bag	Orange		008687	764500000761
Cable Floater	Orange	3 PCS	OR015001	764500000778
Cable Fleeters 10-20			OR033148	764500013310
Cable Fleeters 25-36			OR033149	764500013327

# COMPARING UNITS

	<b>GSM MERCURY **</b>	<b>GSM G.DIVERS</b>	<b>M101A</b>
<b>CODE</b>	OR033150	OR033109	33107
<b>TYPE</b>	wireless	wireless	wireless
<b>ACTIVATION</b>	automatic (in water)	automatic (in water)	automatic (in water)
<b>TRANSMISSION</b>	PTT	PTT	Receiving only unit
<b>RECEIVING</b>	automatic	automatic	automatic
<b>VOLUME ADJUSTMENT</b>	Yes	no	no
<b>EARPHONES</b>	Ceramic	Ceramic	Ceramic
<b>TRANSMISSION TYPE</b>	DSB	DSB	DSB
<b>AUDIO BANDWIDTH</b>	300-3000Hz	300-3000Hz	300-3000Hz
<b>AUTOMATIC GAIN CONTROL (AGC)</b>	Greater then 80dB	Greater then 80dB	Greater then 80dB
<b>FREQUENCY</b>	ch1 32.768 Hz ch2 41.000 Hz	ch1 32.768 Hz	ch1 32.768 Hz
<b>RANGE OF OPERATION (DEPTH RATING)</b>	50m / 170ft	40m / 140ft	40m / 140ft
<b>TRANSMISSION RANGE*</b>	250 m/850 ft	200 m/600 ft	200 m/600 ft
<b>TRANSMIT OUTPUT RANGE</b>	0,95W PEP	0,5W PEP	-
<b>POWERED BY</b>	rechargeable 3,7v li-ion battery (included)	9v alkaline (not included)	9v alkaline (not included)
<b>AUTONOMY (TOTAL)</b>	30h	25h	25h
<b>LOW BATTERY AUTONOMY (AFTER ALARM STARTS)</b>	3h	1h	1h
<b>LOW BATTERY ALARM</b>	Battery Low voice message	1 beep/30s	1 beep/30s
<b>D.A.T. TM</b>	Yes	no	no
<b>SQUELCH</b>	Yes	no	no
<b>MICROPHONE</b>	Blue-Mic (Dynamic)	D-Mic (Dynamic)	D-Mic (Dynamic)
<b>TRANSDUCER</b>	Ceramic cylinder	Ceramic cylinder	Ceramic cylinder
<b>WEIGHT WITH BATTERIES IN AIR</b>	380g / 0,83lbs	400g / 0,88lbs	300g / 0,66lbs
<b>REQUIRES EXTENDER FRAME/KIT</b>	Yes	no	no

(\*) depending on sea conditions & noise levels.

(\*\*) The GSM Mercury Dual Power version has the same characteristics as the GSM Mercury. Instead of having 2 channels it has the option of having channel 1 at normal power and reduced power. The unit is easily recognized thanks to a fluorescent yellow sticker that reads "Dual Power".

## COMPARING UNITS

GSM CUBE3 R2	ALPHA PRO X DIVERS 2.0 (UW UNIT)
OR033185	OR033100
wireless/hardwired	hardwired
automatic (in water)	automatic (in water)
PTT/Full duplex	Full duplex
automatic/Full duplex	Full duplex
not in wireless mode/yes, From the surface when hardwired	yes, From the surface when hardwired
Ceramic	Ceramic
DSB/cable	cable
300-3000Hz	-
Greater then 80dB	-
ch1 32.768 Hz ch2 41.000 Hz	-
50m / 170ft	40m / 140ft
250 m/850 ft 250m/800ft cable	max 250m/800ft cable
0,5W PEP	-
rechargeable 3,7v li-ion battery (included)	no power needed
30h/ depending on surface when hardwired	depending on surface
3h/ depending on surface when hardwired	depending on surface
Battery Low voice message	No
Yes	No
Yes	No
Blue-Mic (Dynamic)	D-Mic (Dynamic)
Ceramic cylinder	-
450g / 1lbs	350g / 0,77lbs
Yes	Yes



MODEL	SKU	UPC
GAMMA ALPHA HD	OR033140	764500013396

## GAMMA ALPHA HD

surface portable video and audio unit. All new features:

All new Features:

- 13" Full HD increased backlit, anti-reflective Screen.
- AHD 1080p wide angle Camera (120°)
- Option to display split screen For both cameras, For contemporary viewing.
- Digital video out (HDMI).
- PC/Mac connection USB-A Plug & Play.
- Internal recording devices: programmable DVR with 320GB expandable to 1TB recording both audio and video.
- Backup recording: digital audio+video via USB-A (pen drive or HDD not included).
- Gamma Alpha can receive audio and video From two divers.
- On/Off and speaker volume adjustment switch.
- Speaker.
- Microphone.
- Switch For communication between surface & diver 1, surface & diver 2, surface & diver 1 & diver 2 combined.
- Headset port (headset optional).
- Audio/video recall From divers.
- 12V rechargeable battery + battery charger
- Underwater unit volume adjustment (for both divers).
- External power charger, 12V (cable optional).
- Stand-by autonomy: 24h.
- Professional surface/diver cable (50 meters, 165 Ft. long) (can be sold separately). (code OR033134).
- Includes new Alpha Pro 2.0 hardwired underwater comm unit - can be sold separately code: OR033160.
- Professional video cable (50 mt, 165 Ft. long) (can be sold separately). (code OR008575).



## AUDIO & VIDEO SURFACE UNITS

MODEL	SKU	UPC
GAMMA 105 NTSC	OR033107	764500000792
GAMMA 105 PAL	OR033108	764500000785



### GAMMA 105

This is an audio/video surface unit. Integrates wireless audio and hardwired video.

- Ultrasonic surface communication unit: 10 m (33 ft) transducer cable, microphone, external power supply cable, audio port, headphone port, volume control, and loudspeaker.
- 7 inch 16:9 color LCD monitor, speaker, audio and video port, brightness and color controls.
- Video port for external video recorder or monitor.
- 12V battery.
- Battery charger connector.
- 12V battery charger.
- CCD Micro Video Camera with underwater housing and mounting bracket. Also sold separately.
- 50 m (165 ft) camera cable. Available length on request.

## SPECIAL PRODUCTS AND TOOLS

### IN ADDITION - OUR CUSTOM SERVICES

MODEL	SKU
*AQUARIST 110 V / 220 V SURFACE UNIT	OR033180
*UNDERWATER UNIT 2.0	OR033160



### BROADCASTING/ CONFERENCE CALL

Custom made systems for underwater live broadcasting, conference calls, audio & video, one way or 2-way communication (i.e. Skype calls!). Excellent for education, TV, shows, presentations, exploration etc.



### \*AQUARIUM AND SHOWS INSTALLATIONS

Custom-made systems for wireless or hardwired communication between submerged personnel, surface teams, and other points. Can be connected to facility amplification systems for public interaction (e.g., Scripps Aquarium, Dubai Mall, Jakarta Aquarium).

MODEL	SKU	UPC
ACM BASE UNIT (DIN/INT)	CUSTOM PRODUCT	CUSTOM PRODUCT

## PORtable AIR CONTROL MODULE

- Lightweight, portable control box for surface air supply and optional communication operations (available upon request).
- If communication is requested, a ALPHA PRO X DIVERS unit is installed into the ACM (underwater units not included) permitting full duplex with max 2 divers. Cables will then run down with surface air supply cables.
- Depth Gauge/Pneumo Systems: Dual reading gauges continuously monitoring the diver's depths from 0-40m (0-130ft). Maximum recommended user depth: 40m, 130ft FSW.
- Depth Monitoring/Pneumo Knob is used to meter the flow of air used for depth measurement.
- The Stainless Steel Air Outlets Fittings connect the diver's air supply hose to the ACM, providing a strong, reliable, corrosion resistant connection. Shut-off valves allow the isolation of one diver's air supply from the other.
- Regulator Adjustment Knob controls the air pressure delivered to the diver's umbilical. Variable pressure settings are obtainable.
- Selector Valve Handle is used to choose either one of the air supply cylinders. Individual cylinders may be changed out without interrupting the dive.
- High Pressure (HP) Supply Gauges directly monitor the pressure in each of the air supply cylinders.



## SPECIAL PRODUCTS AND TOOLS

MODEL	SKU	UPC
OCEAN ECHO	OR033191	764500014744

**NEW!**

### OCEAN-ECHO

This device allows you to play an audio message previously stored in its memory by transmitting it via ultrasound using DSB-SC (Double Side Band – Suppressed Carrier) modulation on Channel 1 (32.768 kHz).

It is powered by a 12V battery. Two LEDs indicate the device status: the green LED shows activity, while the red LED lights up when the battery voltage drops below approximately 8V. The device will continue to operate down to voltages of about 7V, providing approximately one month of autonomy.



To store a new message, connect the device to a computer using the provided USB cable. It will appear as a standard external mass storage device. Please note that the drive letter assigned may vary and may not always be F:



#### Included:

- Ocean Echo unit
- USB cable for connecting to a PC
- Charger
- Manual

**NEW!**

## SPECIAL PRODUCTS AND TOOLS

MODEL	SKU	UPC
WMT (Wireless Microphone Transmitter)	OR033193	764500014737

## WIRELESS MICROPHONE TRANSMITTER

The WMT, developed and designed with Divevolk allows the connection between a video camera or phone and the external microphone in the mask equipped with the Alpha Pro Underwater Unit or GSM Cube3 r2 (not included).

This device allows high quality audio to be recorded while using a video camera, enhancing the recording experience in underwater environments. In addition to recording audio through the microphone, once connected, the device is also linked to the Underwater Units headphones, allowing you to listen to what is being played by the camera / smartphone directly through the headphones, underwater.

### Comes with:

- Wireless microphone transmitter
- USB cable for connecting to a PC
- Charger
- Quick release system
- Manual



[WATCH THE VIDEO](#)



QUICK  
RELEASE  
SYSTEM



MODEL	SKU	UPC
BASIC LEVEL 2 TOOL KIT	OR035021	
OCEAN REEF LUXURY TOOL KIT	OR035010	
NEPTUNE SPACE NOZZLE ADJUSTMENT TOOL	9754	764500001171
NEPTUNE SPACE REGULATOR ADAPTER	9794	764500001195
NEPTUNE III REGULATOR ADAPTER	OR005068	
PORATBLE TEST BENCH <b>CLASS B PRODUCT</b>	9805	764500001188

### **BASIC LEVEL 2 TOOL KIT**

Tools required for servicing the IDM masks.



### **OCEAN REEF LUXURY TOOL KIT**

Tools needed for servicing the IDM masks.

### **NOZZLE ADJUSTMENT TOOL**

For every Ocean Reef Service Center -used to adjust the 2nd stage according to Factory specs IDM.



### **NEPTUNE SPACE REGULATOR ADAPTER**

For technicians who set up and check Space mask regulators prior to mask assembly.



### **NEPTUNE III REGULATOR ADAPTER**

For technicians who set up and check Neptune III mask regulators prior to mask assembly.



### **PORATBLE TEST BENCH**

Portable test bench for OCEAN REEF IDM and conventional regulators.

## SPECIAL BUNDLES – AVAILABLE ACCORDING TO REGION

MODEL	SKU	UPC
LA PROJECT KIT <b>CLASS B PRODUCT</b>	OR023016	764500013792



WATCH THE VIDEO

### LA project

advantages of uw communication on liveabards

A convenient bundle to have on your liveaboard. The safest way of handling your diver guests is to be able to communicate with them.



For the larger vessel



For the tender boat



To communicate with conventional divers



For the Dive Guides

MODEL	SKU	UPC
B2D – BOAT TO DIVER	OR023015	764500013938



### B2D KEY WEST DIVER RECALL SYSTEM

Warn your divers of hazards or weather changes.

- Recall the divers to the boat.
- Complete compatibility with all the OCEAN REEF product range.
- Suit up your boat with a professional, yet affordable diver recall set.

Read more about the M100 and the M101a units in this catalog.

- High Impact Waterproof Suitcase
- Includes 1 M-100 & 1-M101A (can fit up to 3 M101A Units)



# SPORTSWEAR 2026 & PROMOTIONAL ITEMS

To represent OCEAN REEF  
both in and out of the water.

Designed in ITALY





# neptune III

## T-SHIRT



100% Cotton (Organic),  
pre-shrunk, ring-spun and combed.  
Heather Grey: 90%  
Cotton, 10% Viscose. Thin rib collar.  
Unisex

### SIZES:

OCEAN REEF TEAM  
T-SHIRT **BLACK**

**XS** ORMP0120  
**S** ORMP0121  
**M** ORMP0122  
**L** ORMP0123  
**XL** ORMP0124  
**XXL** ORMP0125  
**XXXL** ORMP0126

OCEAN REEF TEAM  
T-SHIRT **WHITE**

**XS** ORMP0127  
**S** ORMP0128  
**M** ORMP0129  
**L** ORMP0130  
**XL** ORMP0131  
**XXL** ORMP0132  
**XXXL** ORMP0133



# neptune III CAPS

## OCEAN REEF TEAM CAP



**Black Color**  
**Adjustable Snapback**  
**Embroidered logo**  
**Crown 100% polyester**  
**Visor 100% cotton**

**ONE SIZE** ORMP0102

## OCEAN REEF TEST DIVER CAP W/PATCH



**Black Color**  
**Adjustable Snapback**  
**Embroidered logo**  
**Crown 100% polyester**  
**Visor 100% cotton**

**ONE SIZE** ORMP0101

# STICKERS



STICKER  
TEAM SINCE 1948

ORMP0171



AUT.SERVICE CENTER  
STICKER 2025-2028

ORMP0173



NEMO'S GARDEN  
STICKER

ORMP0172



IDM SHOP WINDOW

ORMP0155



ARIA SHOP WINDOW

ORMP0060



OCEANREEF STICKER

OR034683



TEAM OCEANREEF STICKER

OR034704

# PATCH



**PATCH TEST DIVER**  
ORMP0100

# DISPLAY



**OCEANREEF MASK DISPLAY**  
OR024503

# FLAG



**OCEANREEF WHITE FLAG**  
ORMP0031

# CORPORATE


 Ocean Reef Group



CORPORATE PRESENTATION

CORPORATE PRESENTATION

## BROCHURE




### BROCHURE NIII

ENG ORMP0097


DE ORMP0103

ESP ORMP0105



### BROCHURE NIII RECREATIONAL

ENG ORMP0097



### BROCHURE NIII PROFESSIONAL PRODUCTS

ENG ORMP0141

IT ORMP0153

## SNORKELING INITIATIVES



OCEAN REEF  
SNORKIE TALKIE ADVENTURES

# FLYER SNORKELING

## DEVELOPMENT OF THE SAFETY STANDARD BEHIND OUR PRODUCT

The most common concern expressed regarding FFSM user is that CO2 could accumulate inside some brands of FFSM. CO2 (carbon dioxide) is a gas naturally present in the air we breathe.

• Concentration of CO2 in exhaled air (breath of our breathing cycle) is around 4.5%.

An atmosphere containing more than 5% of CO2 is considered toxic.

OCEAN REEF invented the FFSM in 2012. And, since then, more than 1,000,000 masks designed and manufactured by the same team.

Additionally, OCEAN REEF has more than 25 years of design and production experience in the US-EU military, professional and recreational full-face snorkeling mask and gas mask industries.

Implementation of the FFSM is a new concept. Therefore, some safety norms could apply to the design of our mask. We are not competitive to third party entity nor can provide any information in other areas of our job, we can only compete to bring the mask to the market, and, last but not least, we also had physiology professors give of lessons regarding the way our bodies work and the effective risks of CO2.

We want to share our knowledge related to FFSM safety, specifically related to potential risks concerning CO2.

### SAFETY FIRST, AS THE INNOVATOR OF THE MARKET

In a gas mask, there are 2 separated volumes:  
Upper volume (UD) and Lower volume - technically called Circuit Positive (CPL).  
The upper volume is the volume of air that moves through the mask, which means that the breathing cycle of both products

is the same. The lower volume is the volume of air that moves through the snorkel, which means that the breathing cycle of both products

is the same. The breathing cycle of the mask is the same as the breathing cycle of the snorkel.

1. Inhalation gas goes from outside to inside the mask from the filter in the mask, from the snorkel, and then to the lungs.

2. Inhalation air is exhaled through the snorkel, which means that the breathing cycle of both products

is the same. The breathing cycle of the mask is the same as the breathing cycle of the snorkel.

3. Inhalation air is exhaled through the snorkel, which means that the breathing cycle of both products

is the same. The breathing cycle of the mask is the same as the breathing cycle of the snorkel.

4. Exhaled air cannot move back into the upper volume, because the exhalation pocket exists at the snorkel point.

5. Inhalation air moves in the only direction it can: through an inhalation valve and does not open upwards.

6. Inhalation air moves in the only direction it can: through an inhalation valve and does not open upwards.

In case of an emergency, the user can open the valve and move the valve to the snorkel.

This breathing cycle is called one-way breathing circulation.

The benefit is to separate fresh air, containing only 0.4% CO2, from used air with 4% CO2 concentration.

What is DEAD AIR SPACE?

Dead Air Space is the area inside the mask where there is no oxygen exchange. This volume is limited to the exhalation pocket, in gas mask and the snorkel.

However, if one-way valves are NOT installed at the top of a snorkel, the dead air space is increased and the oxygen separation between exhaled and fresh air is not guaranteed.

most FFSM on the world market DO NOT have this feature. OCEAN REEF is the only manufacturer that has to have one-way valves on the three chambers of the snorkel and the mask to guarantee the user to fully prevent mixing of used and fresh air.

•

## Why Snorkel with the ARIA Full Face Snorkel Mask?



### Why OCEANREEF® underwater, naturally.

Original FFSM manufacturer with over 1 million masks safely in use.

Designed and manufactured in Italy.

Full Service USA production & distribution center.

Safe. Patented. Original. Fresh air, breathing technology.

Exceeds CO2 safety guidelines. Independently tested and confirmed by Italcert, an ISO certified laboratory.

Only brand with patented 2-way Radio Snorkeling Communication System.

75+ year history of designing and manufacturing full face mask product for scuba, snorkeling, military and space applications.

4 sizes to fit all faces, from kids to adults.



## FLYER SNORKELING SAFETY

ENG ORMP0095

DE ORMP009

## FLYER WHY SNORKEL WITH ARIA

ENG ORMP0093

DE ORMP0158



## DUO II (DEALER\_PRESENTATION)

ENG ORMP0164



## FLYER\_DRY BAG\_BUOY

ENG ORMP0165



## ARIA AND APA (US ONLY)

# FLYER DIVING

**USED IN THE OPENING  
CEREMONY OF THE  
2010 SOCHI WINTER OLYMPICS  
IN ALL OVER THE WORLD!**

**OCEANREEF**  
underwater, naturally.

**AQUARIST**

**SKU CODE: 0032180**  
**1 UNIT CAN OPERATE BOTH 110V/220v.**

The AQUARIST™ is a hardened, half-foldable underwater communication system for conversations between the surface and underwater environments.

This communication unit is specifically designed to meet the needs of individuals who are interested in communicating with the surface and to connect to a diver's PA system in a tank (pool) (i.e. - aquarist) or an ROV (remote controlled vehicle) on the surface (i.e. - diver).

Most of the cables are waterproof and can be submerged in water. Many of the cables are flexible and can be coiled or bent.

The unit can OPERATE BOTH 110V/220v. Make sure to check the power source voltage on the back of the unit before connecting.

**► Simple plug 'n play/easy to use**

**► Compact/transportable**

**► Cost effective**

**► High quality / WOW-effect!**

# FLYER AQUARIST

OCEANREEF<sup>®</sup>  
underwater, naturally.

THE BEST.  
PERIOD.

GSM | VENUS

ADJUSTABLE VOLUME. RECHARGEABLE.

DIGITAL. POWERFUL.

DUAL FOLDABLE HEADPHONES INTEGRATED.

DAT MODE. MULTICHANNEL.

**FLYER GSM MERCURY**  
**ENG** ORMP0098  
**DE** ORMP0104  
**ESP** ORMP0106  
**ITA** ORMP0145

# FLYER SWAP REGULATOR

## ENG QRMP0139

**FLYER  
GAMMA ALPHA HD  
ENG ORMP0142**

**FLYER  
NEPTUNE III BASIC**  
**ENG** ORMP0143  
**DE** ORMP0159  
**ITA** ORMP0156

# FLYER MULTITOOL

## ENG ORMP005071

**PROFESSIONAL  
ACCESSORIES  
MOUNT**

**PROFESSIONAL ACCESSORIES MOUNT  
CORNERSHOT**

1 - PRO-SHOT EXTRUDED FRAME  
2 - INNOVEX ACCESSORY RAIL  
3 - UNIVERSAL SLIDE W/ CLAMPING BANDS

**MULTIPLE  
MULTIPLE  
MULTIPLE**

**INNOVEX ACCESSORY RAIL  
(W10MM) (H10MM)**

**PRO-SHOT EXTRUDED FRAME**

**OCEANREEF  
underwater, reliability**

**MODEL: S4000**  
100% POLYCARBONATE  
100% UV RESISTANT  
100% WATERPROOF  
100% DURABLE  
100% VERSATILE

**OCEANREEF**  
The professional  
choice for  
underwater  
photography

**UNIVERSAL SLIDE  
W/ CLAMPING BANDS**

**www.oceanreef.com**

**Facebook** **Twitter** **YouTube**

# PROFESSIONAL ACCESSORIES MOUNT

ENG ORMP0135

# FLYER VESPER


## ENG ORMP0136

The advertisement features a black background with white text. At the top left is the Oceanreef logo. The top right contains the text 'ALPHA PRO X-DIVERS INCLUDES:' followed by a list of three items with part numbers. Below the list are three images: a black surface unit with a yellow cable, a yellow coiled cable, and a black underwater unit with a yellow cable. The bottom right contains a QR code and the text 'SCAN ME FOR THE 2010 OCEANREEF CATALOG' and 'EASY TO DOWNLOAD ON YOUR MOBILE DEVICE OR COMPUTER'.

# FLYER ALPHA PRO X - DIVERS ENG OBMP0137

# FLYER FOLDABLE NACS

## ENG ORMP0138



## Nemo's Garden: the first ever underwater cultivation of terrestrial plants.

Years ago, Sergio Gamberini was enjoying his summer vacation in Noli, Italy.

Scuba diving has always been more than just a business for him — it's a passion and a lifelong hobby. Everything connected to life in the ocean has always held a special place in his heart.

His life could be described as constant hard work, family, and the ocean.

Find out more at  
[www.nemosgarden.com](http://www.nemosgarden.com)



WATCH THE VIDEO

# DIVE INTO THE FUTURE

NATURAL BREATHING, NATURAL BUOYANCY



**OCEANREEF®**  
underwater, naturally.

 **AVELO**  
simply better scuba




A large black and white QR code is centered in the image. It is enclosed within a thick black square border. In the center of the QR code is a small, faint Facebook logo. The background of the image is white, and the text 'SCAN ME' is repeated in a circular, overlapping pattern around the QR code. The text is in a bold, sans-serif font. The overall design is clean and modern, intended for social media sharing.

# JOIN OUR FACEBOOK GROUP


*#ShapingNextGenerationDivers*



# neptune III Training



# OCEANREEF® Online School



Discover the new exciting platform built to learn everything you should know about OCEAN REEF products, their safe and correct use and much more!

This platform is intended for OCEAN REEF Dealers, Technicians, Staff, Area managers and Scuba Professionals who seek deeper knowledge of our products.



Get the certification through your phone, tablet or PC.



Remote 1 on 1 support with an OCEAN REEF Technician Trainer.



Video instruction, quizzes and access to the courses to refresh learning.



Learn at your own pace and refresh your knowledge when you need.



You will get your own certificate ready to print after taking the online exam.

# e-Learning

## IDM & Underwater Communication

### ACADEMIC KNOWLEDGE PROGRAM


This comprehensive **online program** covers all academic aspects of the Full Face Mask (IDM) and underwater communication specialty training, **SUITABLE FOR ALL SCUBA TRAINING AGENCIES.**

Learn at your own pace through engaging modules, and upon completion, receive a printable certificate of academic accomplishment.



# OCEANREEF

invents, designs and produces equipment to be fully at ease in discovering the underwater wonders



'Reducing our footprint' choices – find out more

---

**OCEANREEF®**  
underwater, naturally.



Ocean Reef Group

OCEANREEF  
underwater, naturally.  
SAFETY

protection equipment  
engineering  
electronics

MESTEL SAFETY Srl  
Via Arvigo, 2  
16010 Sant'Olcese  
Genova (Italia)  
Tel. +39 010 7082011  
Fax +39 010 7082099

OCEAN REEF Inc  
2510 Island View Way  
Vista, CA 92081  
Phone +1 760 744 9430  
Toll free 1 800 922 1764



[diving.oceanreefgroup.com](http://diving.oceanreefgroup.com)  
[oceanreefgroup.com](http://oceanreefgroup.com)

